



NOTES:

1. (A) S.H.C. TO 4" SEWER MAIN USE TEE OR SADDLE.
 - (B) S.H.C. TO 6" THRU 12" SEWER MAIN USE SADDLE.
 - (C) S.H.C. TO 15" & LARGER SEWER MAIN USE THIMBLE AND EPOXY TO MAIN LINE.
 2. S.H.C. TO 4" THRU 15" PVC SEWER MAIN USE SADDLE.
 3. S.H.C. TO PROPOSED SEWER MAINS, USE TEES, SEE DETAIL S/4.01
 4. S.H.C. AT PROPERTY LINE SHALL TERMINATE WITH MINIMUM PIPE LENGTH OF 5'-0".
- THIS DETAIL IS NOT APPLICABLE FOR A SHORTER LENGTH THAN 5'-0" AT THE PROPERTY LINE.

CHARLES COUNTY GOVERNMENT

DEPARTMENT OF PLANNING & GROWTH MANAGEMENT

APPROVED:

[Signature] 6/29/95
DIRECTOR OF DEVELOPMENT SERVICES DATE
[Signature] 6/29/95
WATER / SEWER ENGINEER DATE

STANDARD DETAIL

TYPE "A" 6" DROP
HOUSE CONNECTION
TO SEWER MAIN

REVISIONS:

S
4.00